

### APS-Swing/ SlideWearMat

- 40" × 40" × 1.5"
- Beveled edges
- 64 lbs.
- Waffle bottom construction





### **APS-SwingMat**

- 3' x 5' x 2"
- Beveled edges
- 115 lbs.
- Waffle bottom construction







APS-ResidentialWearMat 24" x 40" x 1"(Green)

As recommended by the CPSC Public Playground Safety Handbook

2.4.2.2 Loose Fill Surfacing Materials

2. Loose-fill surfacing requires frequent maintenance to ensure surfacing levels never drop below the minimum depth. Areas under swings and at slide exits are more susceptible to displacement; special attention must be paid to maintenance in these areas. Additionally, wear mats can be installed in these areas to reduce displacement.



## Spinner Wear Mats

Action Play Systems offers a full line of wear mats for additional high traffic areas of your playgrounds. Designed to reduce wear patterns around modern "spinners" or "rotating" equipment we offer 5 uniquely sized mats to work with most equipment on the market today.

# **APS WearMats Are Perfect For Today's "Spinning" Equipment!**

**But Don't Take Our Word For It!** 



"We ordered a spinner mat and installed it in early December...These are perfect for the Burke Comet Spinner. Kathy and I have installed them for customers and they fit good and protect the turf from wearing through. The all thread works really good. This is by far the best mat on the market for a spinner the size of the Comet.

We are going to start quoting these with all orders that have a spinner on them. We constantly get maintenance calls about the wood fiber being trenched out or the turf wearing through. This is an easy solution to an ongoing maintenance problem."



### **APS-SpinnerWearMat**

- 48" Diameter
- 6" Center opening
- 2" thick, beveled edges around the perimeter
- 110 lbs.

### **Wear Mats**



### **APS-WearMat-6'**

- 2 piece wear mat
- 6' Diameter
- 6" Center opening, with 6" plug for a uniform mat
- 2" thick, beveled edges around the perimeter
- 235 lbs.



#### APS-WearMat-10'

- 8 piece wear mat
- 10' Diameter
- 4' center opening, 3' radius wear mat
- 2" thick, beveled edges around the perimeter
- 575 lbs.



### **APS-WearMat-8'**

- 4 piece wear mat
- 8' Diameter
- 6" center opening, with 6" plug for a uniform mat
- 2" thick, beveled edges around the perimeter
- 355 lbs.



#### APS-WearMat-14'

- 16 piece wear mat
- 14' Diameter
- 6' center opening, 4' radius wear mat
- 2" thick, beveled edges around the perimeter
- 1,075 lbs.